



KAmoISP



Rev. 20241101165918

Źródło: <https://wiki.kamamilabs.com/index.php?title=KAmoISP>

Table of contents

Basic features 1


Standard equipment 2

Schematics 3

Board layout 4

Description

[KAmoISP](#) is easy to use adapter between two popular AVR ISP pinouts





Basic features

- 6-pin Atmel ISP female connector for programmer (for example AVR Dragon) or target board
- 10-pin Atmel ISP/STK200/Kanda male connector for CAB_IDC cable connected to programmer (for example KamPROG for AVR - ZL20PRG) or target board


Standard equipment

Code	Description
KAmoISP	• Assembled module


Schematics



Board layout



KAmoISP and AVR Dragon



BTC Korporacja
05-120 Legionowo
ul. Lwowska 5
tel.: (22) 767-36-20
faks: (22) 767-36-33
e-mail:
sprzedaz@kamami.pl
<https://kamami.pl>

Zastrzegamy prawo do wprowadzania zmian bez uprzedzenia.

Oferowane przez nas płytki drukowane mogą się różnić od prezentowanej w dokumentacji, przy czym zmianom nie ulegają jej właściwości użytkowe.

BTC Korporacja gwarantuje zgodność produktu ze specyfikacją.

BTC Korporacja nie ponosi odpowiedzialności za jakiegokolwiek szkody powstałe bezpośrednio lub pośrednio w wyniku użycia lub nieprawidłowego działania produktu.

BTC Korporacja zastrzega sobie prawo do modyfikacji niniejszej dokumentacji bez uprzedzenia.