



KAmoDPH



Rev. 20241102081832

Źródło: <https://wiki.kamamilabs.com/index.php?title=KAmoDPH>

Table of contents

Basic Features 1


Standard Equipment 2

Schematic 3

Board Layout 4

Description

[KAmoDPH](#) Adapter / Cluster connected between activating set and additional, external module allows easy signals separation and facilitates their observation or checking by easy oscilloscope or logic analyzer connection.




Basic Features

- two 10 pin male sockets to CAB_IDC cable
- 10 pin header connector


Standard Equipment

Code	Description
KAmoDPH	• Assembled module board


Schematic



Board Layout



Adapter / Cluster usage example



BTC Korporacja
05-120 Legionowo
ul. Lwowska 5
tel.: (22) 767-36-20
faks: (22) 767-36-33
e-mail:
sprzedaz@kamami.pl
<https://kamami.pl>

Zastrzegamy prawo do wprowadzania zmian bez uprzedzenia.

Oferowane przez nas płytki drukowane mogą się różnić od prezentowanej w dokumentacji, przy czym zmianom nie ulegają jej właściwości użytkowe.

BTC Korporacja gwarantuje zgodność produktu ze specyfikacją.

BTC Korporacja nie ponosi odpowiedzialności za jakiegokolwiek szkody powstałe bezpośrednio lub pośrednio w wyniku użycia lub nieprawidłowego działania produktu.

BTC Korporacja zastrzega sobie prawo do modyfikacji niniejszej dokumentacji bez uprzedzenia.